

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**


Drag of Blunt Bodies and Streamlined Bodies

A body moving through a fluid experiences a drag force, which is usually divided into two components: **frictional drag**, and **pressure drag**. Frictional drag comes from friction between the fluid and the surfaces over which it is flowing. This friction is associated with the development of boundary layers, and it scales with Reynolds number as we have seen above. Pressure drag comes from the eddying motions that are set up in the fluid by the passage of the body. This drag is associated with the formation of a wake, which can be readily seen behind a passing boat, and it is usually less sensitive to Reynolds number than the frictional drag. Formally, both types of drag are due to viscosity (if the body was moving through an inviscid fluid there would be no drag at all), but the distinction is useful because the two types of drag are due to different flow phenomena. Frictional drag is important for attached flows (that is, there is no separation), and it is related to the surface area exposed to the flow. Pressure drag is important for separated flows, and it is related to the cross-sectional area of the body.

We can see the role played by friction drag (sometimes called viscous drag) and pressure drag (sometimes called form drag or profile drag) by considering an airfoil at different angles of attack. At small angles of attack, the boundary layers on the top and bottom surface experience only mild pressure gradients, and they remain attached along almost the entire chord length. The wake is very small, and the drag is dominated by the viscous friction inside the boundary layers. However, as the angle of attack increases, the pressure gradients on the airfoil increase in magnitude. In particular, the adverse pressure gradient on the top rear portion of the airfoil may become sufficiently strong to produce a separated flow. This separation will increase the size of the wake, and the pressure losses in the wake due to eddy formation. Therefore the pressure drag increases. At a higher angle of attack, a large fraction of the flow over the top surface of the airfoil may be separated, and the airfoil is said to be stalled. At this stage, the pressure drag is much greater than the viscous drag.

When the drag is dominated by viscous drag, we say the body is **streamlined**, and when it is dominated by pressure drag, we say the body is **bluff**. Whether the flow is viscous-drag dominated or pressure-drag dominated depends entirely on the shape of the body. A streamlined body looks like a fish, or an airfoil at small angles of attack, whereas a bluff body looks like a brick, a cylinder, or an airfoil at large angles of attack. For streamlined bodies, frictional drag is the dominant source of air resistance. For a bluff body, the dominant source of drag is pressure drag. For a given frontal area and velocity, a streamlined body will always have a lower resistance than a bluff body. For example, the drag of a cylinder of diameter D can be ten times larger than a streamlined shape with the same thickness (see figure 1).

Figure 1. Drag coefficients of blunt and streamlined bodies.



Cylinders and spheres are considered bluff bodies because at large Reynolds numbers the drag is dominated by the pressure losses in the wake. The variation of the drag coefficient with Reynolds number is shown in figure 2, and the corresponding flow patterns are shown in figure 3. We see that as the Reynolds number increases the variation in the drag coefficient (based on cross-sectional area) decreases, and over a large range in Reynolds number it is nearly constant.




Figure 2. Drag coefficient as a function of Reynolds number for smooth circular cylinders and smooth spheres.




Figure 3. Flow patterns for flow over a cylinder: (A) Reynolds number = 0.2; (B) 12; (C) 120; (D) 30,000; (E) 500,000. Patterns correspond to the points marked on figure 2.

At a Reynolds number between 10^5 and 10^6 , the drag coefficient takes a sudden dip. The size of the wake decreases, indicating that the boundary layer separation on the cylinder or sphere occurs further along the surface than before. What has happened? The phenomenon is related to the differences between laminar and turbulent boundary layer. The boundary layer and its interaction with the local pressure gradient plays a major role in affecting the flow over a cylinder. In particular, near the shoulder, the pressure gradient changes from being negative (decreasing pressure) to positive (increasing pressure). The force due to pressure differences changes sign from being an accelerating force to being a retarding force. In response, the flow slows down. However, the fluid in the boundary layer has already given up some momentum because of viscous losses and viscous friction, and it does not have enough momentum to overcome the retarding force. Some fluid near the wall actually reverses direction, and the flow separates.

A laminar boundary layer has less momentum near the wall than a turbulent boundary layer, as shown in figure 4, because turbulence is a very effective mixing process. More importantly, turbulent transport of momentum is very effective at replenishing the near-wall momentum. So when a turbulent boundary layer enters a region of adverse pressure gradient, it can persist for a longer distance without separating (compared to a laminar flow) because the momentum near the wall is higher to begin with, and it is continually (and quickly) being replenished by turbulent mixing.




Figure 4. Boundary layer profiles for laminar and turbulent flow.

The boundary layer over the front face of a sphere or cylinder is laminar at lower Reynolds numbers, and turbulent at higher Reynolds numbers. When it is laminar ($Re < 10^5$), separation starts almost as soon as the pressure gradient becomes adverse (very near the shoulder, figure 3D), and a large wake forms. When it is turbulent ($Re > 10^6$), separation is delayed (to a point about 20% past the shoulder, figure 3E) and the wake is correspondingly smaller.

It follows that, if the boundary layer of a sphere can be made turbulent at a lower Reynolds number, then the drag should also go down at that Reynolds number. This is the case, as we can show by using a trip wire. A trip wire is simply a wire located on the front face of the

sphere and it introduces a large disturbance into the boundary layer. This disturbance causes an early transition to turbulence, and its effect on the size of the wake, and the total drag is quite dramatic, as shown in figure 5.




Figure 5. Flow over a sphere: (a) Reynolds number = 15,000; (b) Reynolds number = 30,000, with trip wire.


-
- Return to [Aerodynamics of Bicycles Introduction](http://www.princeton.edu/~asmits/Bicycle_web/blunt.html).

[Home](#) | [Shopping](#) | [Dogpile Destinations](#) | [Help](#)
DOGPILE®
Metasearch Results

Vortex Shedding

Fetch

Select: The Web

[Yellow Pages](#)[White Pages](#)[Classifieds](#)

Bookmark this page with [Blink](#) • [Click Here](#) to buy "Vortex Shedding" products at [Amazon.com](#) • Search for "Vortex" at [Lycos](#)

Are you looking for:

[Sheds](#)
[Cool Pictures Of](#)
[Clouds](#)

[Vortex](#)
[Reynolds Number](#)
[Circular Cylinder](#)

[Asymmetric Vortex](#)
[Shedding](#)
[Aeolian Harp](#)

[Periodic Vortex](#)
[Shedding](#)
[H.a.r.p. Alaska](#)

 Find results for "vortex shedding" on the [Yellow Pages!](#)

Dogpile Suggests:

[Web](#) | [Images](#) | [Audio](#) | [Files](#) | [Auction](#) | [News](#) | [FTP](#) | [Discussion](#) | [Multimedia](#) |

Search engine: [GoTo.com](#) found **10 results**. The query sent was [+Vortex +Shedding](#)

1. [Vortex shedding past square cylinder -- Experiments by Lyn](#)

Vortex shedding past square cylinder -- Experiments by Lyn Description Measurements in the flow past a square cylinder. $Re=2.2 \times 10$ Measurement techniques Velocities measured using Laser Doppler Anemometry (LDA). Available measurements References LYN
[vortex.mech.surrey.ac.uk](#)

2. [Vortex Shedding Animation](#)

Vortex Shedding Animation - Navigator - Home Page About the school Admissions Research Teaching and Learning People Newsletter Positions Available Events Search The simulation shows vortex shedding behind a conical mountain for a flow whose n
[www.env.leeds.ac.uk](#)

3. [http://www1.goto.com/d/sr?](http://www1.goto.com/d/sr?xargs=00u3hs9yoajkUOvTDChAwmn1hdhNoMv0AZM6SIEk3dGlwkqWnUjxHaT7CA%2BDy6fDdPYX0ATG3jA1qmcdCaAgfmG2zMOxAdPYNxEkCYSXCnF5GgaSPb5x8Q8GCIkr%2FVpVzqqtS3XLU53IOKJO4DAfgyvUiNBV79Ds51q57%2BMrLc3T%2F%2FI1GVl1eVQPMuW%2FesrZVUNIHWxZbbeQg%3D%3D)

[xargs=00u3hs9yoajkUOvTDChAwmn1hdhNoMv0AZM6SIEk3dGlwkqWnUjxHaT7CA%2BDy6fDdPYX0ATG3jA1qmcdCaAgfmG2zMOxAdPYNxEkCYSXCnF5GgaSPb5x8Q8GCIkr%2FVpVzqqtS3XLU53IOKJO4DAfgyvUiNBV79Ds51q57%2BMrLc3T%2F%2FI1GVl1eVQPMuW%2FesrZVUNIHWxZbbeQg%3D%3D](#)

Vortex Shedding Past a Square Cylinder This numerical experiment describes a turbulent flow past a square cylinder at $Re = 22000$ and $Mach = 0.1$. The computation has been carried out on an unstructured mesh with 15000 nodes. The Von Karmann str
[caswww.colorado.edu](#)

4. [Fluent NEWS - Fall 1999 - Vortex Shedding over a Wired Cylinder Using LES](#)

Visit [www.fluent.com](#) for the latest news, the hottest CFD software products, consulting services and technical support from Fluent, Inc -- the world leader in computational fluid dynamics. This page contains this information: Fluent NEWS Fall 1999 V
[www.fluent.com](#)

5. [Vortex shedding](#)

Return to Mr Oldroyd's page - Dr Scanlon's Full List of Departmental Projects A059 - for session 99/00
COMPUTATIONAL AND EXPERIMENTAL PREDICTION OF VORTEX SHEDDING FACILITIES: Wind tunnel

[Home](#) | [Shopping](#) | [Dogpile Destinations](#) | [Help](#)**DOGPILE**[®]
Metasearch Results

navier stokes equation

Fetch

Select: **The Web**[Yellow Pages](#)[White Pages](#)[Classifieds](#)

\$45 in FREE Online Casino Chips!
No Deposit Required!!!
GambleHouse.com
 Online Casino Guide [click & find out!](#)

[Bookmark this page with Blink](#) • [Click Here](#) to buy "navier stokes equation" products at [Amazon.com](#) • Search for "navier stokes equation" at [Lycos](#)

Are you looking for: [Fortran Navier Stokes Equations](#) [Navier Stokes Equations](#) [Equation](#) [Stoke Ether](#)
[Navier-stokes](#) [What Star In The Solar System Was First Discovered In 1784?](#) [Quantum Physics Glossary](#)

Find results for "navier stokes equation" on the [Yellow Pages](#)!

Dogpile Suggests: [Quicken Loans](#). Customized Solutions for Every Solution

Web | [Images](#) | [Audio](#) | [Files](#) | [Auction](#) | [News](#) | [FTP](#) | [Discussion](#) | [Multimedia](#) |

Search engine: [GoTo.com](#) found 10 results. The query sent was [+navier +stokes +equation](#)

1. [The Navier-Stokes equation](#)

The Navier-Stokes equation
[astron.berkeley.edu](#)

2. [The Navier-Stokes Equation](#)

The Navier-Stokes Equation
[www.ph.ed.ac.uk](#)

3. [ACM Digital Library: Stable fluids](#)

International Conference on Computer Graphics and Interactive Techniques Proceedings of the SIGGRAPH 1999 annual conference on Computer graphics August 8 - 13, 1999, Los Angeles, CA USA
 Stable fluids Pages 121-128 Jos
[www.acm.org](#)

4. [The Navier-Stokes Equation of Motion](#)

Next: Boundary and Initial Up: List of Tables Previous: The Viscous Force The Navier-Stokes Equation of Motion Having found the viscous force per unit volume, in equation 6.10, we may divide it by to obtain the viscous force per unit mass and add
[www.mas.ncl.ac.uk](#)

5. [The stress tensor and the Navier-Stokes equation](#)

The stress tensor and the Navier-Stokes equation
[www.phys.virginia.edu](#)

6. [Ch. 8 Equation de NAVIER-STOKES et dissipation d'énergie](#)

Ch. 8 Equation de NAVIER-STOKES et dissipation d'énergie 14/11/00 Cliquez ici pour démarrer Table des matières Ch. 8 Equation de NAVIER-STOKES et dissipation d'énergie Diapositive PPT
 Ex.:simulation de l'écoulement dans une pompe venturi Claude-Loui
[www.term.ucl.ac.be](#)

[Home](#) | [Shopping](#) | [Dogpile Destinations](#) | [Help](#)**DOGPILE**[®]
Metasearch Results

cylinder and flow and drag

Fetch

Select: [The Web](#)[Yellow Pages](#)[White Pages](#)[Classifieds](#)

How far would you move for a job?
☐ Anywhere ☐ Across the country ☐ Across town

[Bookmark this page with Blink](#) • [Click Here](#) to buy "cylinder and flow and drag" products at [Amazon.com](#) • Search for "cylinder and flow and drag" at [Lycos](#)

Are you looking for: [Cylinder And And Drag](#)

Find results for "cylinder and flow and drag" on the [Yellow Pages](#)!

Dogpile Suggests: [Quicken Loans](#). Customized Solutions for Every Solution

Web | [Images](#) | [Audio](#) | [Files](#) | [Auction](#) | [News](#) | [FTP](#) | [Discussion](#) | [Multimedia](#) |

Search engine: [GoTo.com](#) found 10 results. The query sent was [+cylinder +flow +drag](#)

1. [Flow past a cylinder](#)

Flow past a cylinder
[astron.berkeley.edu](#)

2. [PreStage.Com - Air Flow Research Cylinder Heads](#)

PreStage.Com Drag Racing Resources - We have a variety of databases, utilities, programs, car math calculators, message boards, and more for drag racers and Muscle Car enthusiasts.
[www.prestage.com](#)

3. [Aerodynamic Drag at High Speeds](#)

Aerodynamic Drag
[www.aerodyn.org](#)

4. [Handout #5 : Incompressible Flow over a Circular Cylinder](#)

CE/ME 101abc Handout #5 : Incompressible Flow over a Circular Cylinder Clickable Graph
 Instructions: Click on the green dots to see flow visualizations (photos from An Album of Fluid Motion, by Milton Van Dyke, Parabolic Press 1982) Drag versus Re
[green.caltech.edu](#)

5. [Drag and D'Alembert's "paradox"](#)

Drag and D'Alembert's
[www.phys.virginia.edu](#)

6. [Flow Over a Circular Cylinder](#)

Turbulent Wake Flow Behind a Circular Cylinder Introduction Background Flow separation Wake Vortex shedding Vortex-induced vibrations Aerodynamic loading Momentum balance PIV technique CCD technology Animated vortex shedding sequenc
[www.eng.fsu.edu](#)

7. [Convective Heat Transfer in a Laminar Flow Past a Hot Cylinder](#)

Convective Heat Transfer in a Laminar Flow Past a Hot Cylinder Gorea, Adrian and Berker, Berna

[Home](#) | [Shopping](#) | [Dogpile Destinations](#) | [Help](#)
DOGPILE®
Metasearch Results

smooth coating and flow and friction

Fetch

Select: **The Web**[Yellow Pages](#)[White Pages](#)[Classifieds](#)

I am a Seeking a

Between the ages &

Bookmark this page with [Blink](#) • [Click Here](#) to buy "smooth coating and flow and friction" products at [Amazon.com](#) •
"smooth coating and flow and friction" at [Lycos](#)

Find results for "smooth coating and flow and friction" on the [Yellow Pages!](#)

Dogpile Suggests: [Quicken Loans](#). Customized Solutions for Every Solution

Web | [Images](#) | [Audio](#) | [Files](#) | [Auction](#) | [News](#) | [FTP](#) | [Discussion](#) | [Multimedia](#) |

Search engine: [GoTo.com](#) found 10 results. The query sent was [+smooth +coating +flow +friction](#)

1. [Grenzfl. mater.: titles per sub-domain](#)

Titles by topic of sub-domain 8: friction / wear / AFM AFM (1994) Preparation of Thin Alox (O-Less-Than-or-Equal-to-X-Less-Than-or- Equal-to-1.5) Films on Gold and Polycarbonate Characterized by XPS, EPMA, AFM and TEM (1994) In-Situ Measurement of S
[www.cwts.leidenuniv.nl](#)

2. [Our Industrial Coating capabilities include Thermal Barrier Coating and electrostatic coating capabilities. Turbine Coat](#)

Industrial Coating capabilities include Thermal Barrier Coating and electrostatic coating capabilities for you next gas or Steam Turbine Overhaul. Turbine Coating consultation is available.
[www.calltru.com](#)

3. [KEN-SEAL II Resilient-Wedge Valves](#)

Features and Benefits.
[www.kennedyvalve.com](#)

4. [Dixon Industries is a Licenced Industrial Applicator of the Du Pont TEFLON range of finishes](#)

Dixon Industries provide a comprehensive Teflon® coating service. The company is one of only 2 Licenced Industrial Applicators in Australia. Click here to see the 7 properties of "Teflon". Click here to contact Dixon
[www.dixonind.com.au](#)

5. [Powder R&D Newsletter](#)

The Role of Additives in Powder Coatings ...continued from homepage Exterior Durability Additives to improve exterior durability are one of the few classes of materials that func
[www.ippmagazine.com](#)

6. [http://www1.goto.com/d/sr?](#)

[xargs=00u3hs9yoajkUK3TCDhQxGn4RvnaH2ZqvCvWHF36Bedpa0Fm1x7cRX7Vj%2F5Ai%2BEJycMPmuS2Ey9ibZaiRZ%2Bq0uQe1fq9evuFbqnBboXelDekPactY3DBIUkw56%2F9qwc0BC3lvBc85rqGsg9iqQ0OmbvSIwn1KUKd1kMysuA%2FGZkVa3RU2nd1hRQFydG5TOut6TPI%2Bo7XybUSvAV7AF0hYrH0kbaq%3D%3D](#)

5,674,192 Oct. 7, 1997 Drug delivery INVENTOR: Sahatjian, Ronald A., Lexington, Massachusetts
Barry, James
[www.biotechlawyer.com](#)

[http://search.dogpile.com/texis/search?q=smooth+coating+and+flow+and+friction&geo=no&fs=8/15/01](#)

[Home](#) | [Shopping](#) | [Dogpile Destinations](#) | [Help](#)
DOGPILE®
Metasearch Results

flow and friction and coating

Fetch

Select: The Web

[Yellow Pages](#)[White Pages](#)[Classifieds](#)

Save your spot on the web!

register.com www. .com **go!**

[Bookmark this page with Blink](#) · [Click Here](#) to buy "flow and friction and coating" products at [Amazon.com](#) · [Search](#) and friction and coating" at [Lycos](#)

Are you looking for: [And Friction And Coating](#)

Find results for "flow and friction and coating" on the [Yellow Pages](#)!

Dogpile Suggests: [Dating for over 25s at uDate](#)

Web | [Images](#) | [Audio](#) | [Files](#) | [Auction](#) | [News](#) | [FTP](#) | [Discussion](#) | [Multimedia](#) |

Search engine: [GoTo.com](#) found 10 results. The query sent was [+flow +friction +coating](#)

1. [Swain Technology, Inc. Coatings - Price List](#)

[HOME] [INDUSTRY] [AUTO/RACING] [NEWS LETTER] [PRICE LIST] [E-MAIL] [INDEX] [LINKS] PRICE LIST Power CoatingsäPISTONS - TBCä Thermal Barrier Coating(TBC), GoldCoat(GC), Poly-Moly(PM) and PC-9 Low Friction Coating (Including Stealth Coatings)ORDER FO
[www.swaintech.com](#)

2. [DuPont Teflon® Low Friction, Non-Stick, Chemical Re - Stone, E. L. Co., Inc.](#)

DuPont Teflon® Low Friction, Non-Stick, Chemical Resistant Coatings Ind. Application Service, Stone, E. L. Co., Inc.
[thomasregional.com](#)

3. [Performance Coatings, Inc. - specialists in ceramic header coatings and performance engine coatings](#)

the northwest's most experienced specialists in ceramic, headers, heat, thermal, coatings, piston coating, plating, horsepower, motorcycles, aircraft, automobiles, aluminizing, powdercoating, engine, jet hot, hpc, airborne coatings, goldcoast coatin
[www.performancecoatings.com](#)

4. [A to Z of Coating Terms](#)

World leaders in Surface Engineering with coatings and surface treatments to reduce wear, friction and corrosion. Specialising in electroplating, anodising, electroless nickel, thermal spraying and polymer coatings, we offer a world-wide service
[www.poeton.co.uk](#)

5. [The Society of Rheology: 70th Annual Meeting \(Oct 1998\) List Papers in a Session](#)

70th Annual Meeting (Oct 1998) List Papers in a Session Session Please Select a Session Extensional and Elongational Flow Rheology and Microstructure of Electro and Magneto-Rheological Fluids Viscoelastic Processing Flows: Theory and Experiment Anal
[www.rheology.org](#)

6. [COATING PROCESSES FOR EXTENDING TOOL LIFE](#)